

# YoungWonks

## CHEATSHEET FOR HTML TAGS

### Text

Heading size decreases from h1 to h6

```
<h1> Heading 1 </h1>
<h2> Heading 2 </h2>
<h3> Heading 3 </h3>
<h4> Heading 4 </h4>
<h5> Heading 5 </h5>
<h6> Heading 6 </h6>
<p> A paragraph! </p>
```

Just like headings, a paragraph always starts on a new line

### Lists

Unordered lists are used when the items do not need to have numerical order

Ordered lists are used when the items need to be in numerical order

```
<ul>
  <li>Item 1</li>
  <li>Item 2</li>
  <li>Item 3</li>
  <li>Item 4</li>
</ul>
```

```
<ol>
  <li>Item 1</li>
  <li>Item 2</li>
  <li>Item 3</li>
  <li>Item 4</li>
</ol>
```

# YoungWonks

## CHEATSHEET FOR HTML TAGS

### Images

Images are inline elements and DO NOT start on a new line



```
  
  

```

### Links

Websites use images as links by wrapping the image elements with the anchor elements



```
<a href="#section2">Jump to Section 2</a>  
<a href="https://www.youngwonks.com/">Go to YoungWonks website</a>
```

### Forms

Browsers support a lot of input types like date, color, checkbox etc.



```
<form>  
  <input type="text" name="full-name" placeholder="Full Name">  
  <input type="email" name="email-address" placeholder="Email Address">  
  <input type="number" name="phone-number" placeholder="1234567890">  
  <input type="submit" value="Submit Form">  
</form>
```

# YoungWonks

## CHEATSHEET FOR HTML TAGS

### Tables

Tables provide a great way to organize the data into rows and columns

```
<table>
  <thead>
    <tr>
      <th>Name</th>
      <th>Age</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>Alexis Williamson</td>
      <td>20</td>
    </tr>
    <tr>
      <td>Byron Cunningham</td>
      <td>22</td>
    </tr>
    <tr>
      <td>Bruce Welch</td>
      <td>12</td>
    </tr>
  </tbody>
</table>
```

By default, th elements are bold and centered